

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 5/13/96	3. REPORT TYPE AND DATES COVERED Final Report: 4/93-11/95 (6 mth ext.)		
4. TITLE AND SUBTITLE  Biochemical indices of high pressure tolerance in marine mammals		5. FUNDING NUMBERS  N00014-93-1-0457		
6. AUTHOR(S)  Dr. Michael A. Castellini				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Institute of Marine Science School of Fisheries and Ocean Sciences University of Alaska at Fairbanks Fairbanks, AK 99775-1080		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N.Quincy St. Arlington, VA 22217-5000		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES		19960524 028		
12a. DISTRIBUTION/AVAILABILITY STATEMENT  Distribution Unlimited		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) The metabolic effects associated with the dramatic and repeated hydrostatic pressure changes faced by marine mammals are unknown. By measuring glucose utilization and lactate production, the effect of 2000 psi of pressure on glycolysis in red blood cells was compared among marine and terrestrial mammals. The effect of pressure on the kinetics of lactate dehydrogenase in cardiac tissue of marine and terrestrial mammals was also evaluated. Pressure affected LDH kinetics similarly in both groups, causing no change in $V_{max}$ or $K_m$ for pyruvate or $NAD^+$ , a decrease in lactate $K_m$ and an increase in $NADH K_m$ . At pressure, marine mammal RBCs generally had little change in glucose utilization rates relative to terrestrial mammals, in which the rate decreased. Lactate production rate was enhanced in some marine mammals, remained relatively unchanged in others and generally decreased in terrestrial mammals. Lactate/glucose was well below the theoretical value of 2.0 except for dolphins and humans. In most cases, lactate/glucose shifted to higher values under pressure, suggesting a shift in metabolic pathway toward glycolysis. The effect of pressure on glycolysis is apparently complex, involving individual enzymes, possibly a shift in metabolic pathway and possibly glucose transport.				
14. SUBJECT TERMS hydrostatic pressure, lactate dehydrogenase, glycolysis, RBC, erythrocyte, marine mammal		15. NUMBER OF PAGES 4		16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	

## GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet *optical scanning requirements*.

**Block 1.** Agency Use Only (Leave blank).

**Block 2.** Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

**Block 3.** Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

**Block 4.** Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

**Block 5.** Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No.

**Block 6.** Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

**Block 7.** Performing Organization Name(s) and Address(es). Self-explanatory.

**Block 8.** Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

**Block 9.** Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.

**Block 10.** Sponsoring/Monitoring Agency Report Number. (If known)

**Block 11.** Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

**Block 12a.** Distribution/Availability Statement. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

**Block 12b.** Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

**Block 13.** Abstract. Include a brief (*Maximum 200 words*) factual summary of the most significant information contained in the report.

**Block 14.** Subject Terms. Keywords or phrases identifying major subjects in the report.

**Block 15.** Number of Pages. Enter the total number of pages.

**Block 16.** Price Code. Enter appropriate price code (*NTIS only*).

**Blocks 17. - 19.** Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

**Block 20.** Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

## FINAL TECHNICAL REPORT

GRANT #: N0014-93-1-0457

PRINCIPAL INVESTIGATOR: Dr. Michael A. Castellini

INSTITUTION: University of Alaska, Fairbanks

GRANT TITLE: Biochemical indices of high pressure tolerance in marine mammals

**OBJECTIVE:** The objective of this study was to examine potential biochemical adaptations which may exist in marine mammals that would allow them to tolerate extreme pressure while diving to depth. Many investigators have examined the effects of hydrostatic pressure on individual enzymes which are part of complex metabolic pathways, particularly in marine teleosts (Somero, 1992). Very little has been done to examine similar questions in marine mammals, some of which dive to significant depths (Croll et al., 1992). Our goal was to examine the effect of hydrostatic pressure on glycolysis. We intended to take a multi-level approach to the problem, investigating the effect of hydrostatic pressure on lactate dehydrogenase kinetics as well as on whole cell glycolytic rate. Since glycolysis is a complex series of enzymatic reactions, knowing the effect of pressure on one enzyme in the path does not fully address the question of functional changes in the entire pathway. We were also hoping to assess the effect of hydrostatic pressure on  $\text{Na}^+, \text{K}^+$ -ATPase, a membrane-bound enzyme which, in humans, has been shown to be sensitive to hydrostatic pressure.

**APPROACH:** This project successfully examined two levels of potential biochemical adaptation. First, live red blood cells (RBCs) from marine and terrestrial mammals were subjected to 2 hours of pressure (2000 psi) at 37°C and their metabolic rates were analyzed. Second, tissue extracts of muscle were analyzed under pressure to determine changes in enzyme activity or affinity for substrate. Our attempts to study potential membrane-bound enzyme adaptations were unsuccessful because the techniques required to isolate membranes could not be conducted under field conditions, requiring us to use frozen blood cells for the preparation. The enzyme we were attempting to analyze ( $\text{Na}^+, \text{K}^+$ -ATPase) proved unstable when frozen *in situ*. This has prompted us to find an alternate method for isolating cell membranes which can be conducted under field conditions - preliminary tests are currently being undertaken.

**ACCOMPLISHMENTS:** We have been able to analyze metabolism of RBCs under pressure from 6 species of pinniped (including shallow and deep divers), *Tursiops spp.*, and 4 species of terrestrial mammals, including human. We have concluded that hydrostatic pressure does affect the rate of glycolysis (measured as lactate production) in RBCs of many species and that pinniped RBCs respond differently to pressure than do those of terrestrial mammals. Pinniped RBCs exhibited either very little change or an increase in glycolytic rate, while RBCs from 3 species of terrestrial mammals showed a marked decrease in glycolytic rate at pressure. Interestingly, the deepest diving seals (Weddell seals and northern elephant seals) showed the smallest effect of pressure while more shallow diving species (ringed seal and harbor seal) exhibited a more

dramatic response. The response of RBCs from shallow diving seals to pressure was opposite to the response of RBCs of terrestrial mammals.

We measured lactate produced/glucose consumed in RBCs of all species and found it to be significantly less than the theoretical value of 2 in all but *Tursiops spp.*, humans and elephant seal pups. This indicates that a significant amount of glucose is being used by an alternate pathway in most species. Shifts of glucose utilization rate and lactate/glucose at pressure suggest that the increase of glycolytic rate observed in RBCs of some pinniped species may be a result of a shift in metabolic pathway toward glycolysis. The decrease in glycolytic rate observed in RBCs of terrestrial mammals appears to be the result of a suppression of glucose utilization.

Red blood cells from humans and *Tursiops spp.* showed virtually no effect of hydrostatic pressure on glycolytic rate, rate of glucose utilization or lactate/glucose. In addition, lactate/glucose was 2, as theoretically predicted if all glucose consumed is being used in glycolysis. Castellini et al., 1992 have discussed the observation that glucose distribution in RBCs of odontocetes and primates is different than that of most mammals and may indicate a need to transport more glucose to the brain of these animals. This may also be reflected in different metabolism of glucose within the RBC.

Our studies indicate that hydrostatic pressure affects mammalian cardiac lactate dehydrogenase (LDH) kinetics. Unpressurized, maximum LDH activity ( $V_{max}$ ) was higher in marine mammals for both substrates and cofactors. The  $K_m$  values for lactate and pyruvate were 36% higher for marine species than for terrestrial species. The  $K_m$  values for  $NAD^+$  and NADH were similar between marine and terrestrial mammals. While there was no impact of 2000 psi on  $V_{max}$  or the  $K_m$  for pyruvate and  $NAD^+$  in both marine and terrestrial mammals, pressure decreased lactate  $K_m$  by 23% and 21%, respectively and increased NADH  $K_m$  by 62% and 39%, respectively. Since  $K_m$  for lactate decreased and for NADH increased at 2000 psi, pressure may enhance the removal of lactate from cardiac tissues in marine and terrestrial mammals.

**SIGNIFICANCE:** While LDH was sensitive to hydrostatic pressure there was little difference between the marine and terrestrial mammals tested. Elevated pressure may enhance the removal of lactate from cardiac tissues of deeply diving mammals. The LDH kinetics results are not consistent with the observations made of whole cell glycolytic changes, in which marine and terrestrial mammals exhibited striking differences from each other. While tissue differences (cardiac vs RBC) may contribute to this disparity, it is suggestive that changes in LDH kinetics brought on by pressure may not allow one to predict overall flux changes in the glycolytic pathway. This is supported by observations of lactate/glucose and glucose utilization rates, which suggest that flux changes in glycolysis at pressure may be affected by shifts in metabolic pathways or suppression of glucose utilization, possibly by an effect on glucose transport. The results from examining the effect of pressure on whole cell glycolysis allow a context in which to examine regulation of individual enzymes or transporters.

### LITERATURE CITED:

Castellini, M.A., Costa, D.P., Castellini, J.M. (1992). Blood glucose distribution, brain size and diving in small odontocetes. *Marine Mammal Science*, 8:294-298.

Croll, D.A., Nishiguchi, M.K. and Kaupp, S. (1992). Pressure and lactate dehydrogenase function in diverse marine mammals and birds. *Physiological Zoology*, 65:1022-1027.

Somero, G.N. (1992). Adaptations to high hydrostatic pressure. *Annual Review of Physiology*, 54:557-577.

### PRESENTATIONS AND ABSTRACTS:

#### Seminars:

*Pressure, stress and cardiac function in marine mammals:*

Scripps Institution of Oceanography, April 1994

University of Southern California medical school, April 1994

University of California, Santa Cruz, April 1994

#### Abstracts:

Castellini, M.A. and Castellini, J.M. (1993). Impact of pressure on RBC metabolism: Marine and terrestrial mammals. XXXII International Union of Physiological Sciences, Glasgow, Scotland.

Rivera, P.M. and M.A. Castellini. (1993). Lactate dehydrogenase activity in the heart muscle of diving marine mammals and terrestrial mammals. Tenth Biennial Conference on the Biology of Marine Mammals. Galveston, TX.

Castellini, J.M. and Castellini, M.A. (1995). Effect of hydrostatic pressure on red blood cell metabolism in marine mammals. Eleventh Biennial Conference on the Biology of Marine Mammals. Orlando, FL. *Manuscript in preparation.*

Rivera, P.M. and Castellini, M.A. (1995). Cardiac lactate dehydrogenase activity in marine and terrestrial mammals: Response to pressure. Eleventh Biennial Conference on the Biology of Marine Mammals. Orlando, FL.

Rivera, P.M. and Castellini, M.A. (1996). Cardiac lactate dehydrogenase activity in marine and terrestrial mammals: Response to pressure. The FASEB Journal, 10:A297. *Manuscript and Master's thesis in preparation.*

## Distribution List for Final Reports

Attach a copy of the REPORT DOCUMENTATION PAGE (DD FORM 1473) to your final report as the first page and mail two copies (including the postcard labelled DTIC FORM 50 ) to:

Defense Technical Information Center  
Building 5, Cameron Station  
Alexandria, VA 22314

This allows other investigators to obtain copies of your report directly from DTIC. DTIC will fill out the postcard DTIC ACCESSION NOTICE (DTIC FORM 50) and return it to you with their number for your report. When you refer people to DTIC to get a copy of your report, give this number to expedite the request.

Mail one copy to each of the following and attach **this very page** to the back of your report - otherwise the folks below will think they have mistakenly received a copy meant for the Molecular Biology Program ):

(a) Dr. Michael Marron  
ONR Code 1141  
Molecular Biology Program  
800 N. Quincy Street  
Arlington, VA 22217-5000

(e) Director  
Chemical and Biological Sci Div  
Army Research Office  
P. O. Box 12211  
Research Triangle Park, NC 27709

(b) Administrative Grants Officer  
ONR Resident Representative  
(address varies - see copy of your grant/contract)

(f) Life Sciences Directorate  
Air Force Office of Scientific Res  
Bolling Air Force Base  
Washington, DC 20332

(c) Director,  
Applied Research Directorate  
ONR Code 12  
800 N. Quincy Street  
Arlington, VA 22217-5000

(g) Director  
Naval Research Laboratory  
Technical Information Div  
Code 2627  
Washington, DC 20375

(d) Director  
Office of Naval Technology  
Code 22  
800 N. Quincy Street  
Arlington, VA 22217-5000

Office of Naval Research  
Resident Representative N63374  
Administrative Contracting Officer  
Univ of Washington, Univ. District  
Bldg, Rm 410, 1107 NE 45th Street  
Seattle, WA 98105- 3/12/91  
4631

End (1)